

[bc home](#) > [research](#) > [weston observatory](#) >

NESN




A STUDY OF NEW ENGLAND SEISMICITY

Quarterly Earthquake Report

October-December, 2003

NEW ENGLAND

SEISMIC NETWORK



Weston Observatory

381 Concord Road

Weston, MA 02493

Earth Resources Lab

Massachusetts Institute of Technology

42 Carleton Street

Cambridge, MA 02142

NEW ENGLAND SEISMIC NETWORK
John E. Ebel, Principal Investigator

Weston Observatory

Dept. of Geology and Geophysics

Boston College

381 Concord Road

Weston, MA 02493

Email: ebel@bc.edu

Award # 1434-HQ-98-AG-01943

M. Nafi Toksöz, Principal Investigator

Earth Resources Lab

Dept. of Earth, Atmospheric, and Planetary Sciences

Massachusetts Institute of Technology

42 Carleton Street

Cambridge, MA 02142

Email: toksoz@mit.edu

Award # 1434-HQ-98-AG-01926

Prepared by Anastasia Macherides Moulis

Email: macherid@bc.edu

December, 2003

for

United States Geological Survey

905 National Center

12201 Sunrise Valley Drive

Reston, Virginia 20192

Notice

Network operation supported by the U.S. Geological Survey (USGS), Department of the Interior, under USGS award number 1434-HQ-98-AG-01943 and award number 1434-HQ-98-AG-01926. The views and conclusions contained in this document are those of the authors and should not be interpreted as necessarily representing the official policies, either expressed or implied, of the U.S. Government.

Quarterly Earthquake Report

Table of Contents

- [Introduction](#)
 - [Current Network Operation and Status](#)
 - [Seismicity](#)
 - [Data Management](#)
 - Tables
 - [Explanation of Tables](#)
 - [Table 1](#) Project Personnel
 - [Table 2](#) Seismic Stations
 - [Table 3](#) Earthquake Hypocenter List
 - [Table 4](#) Earthquake Phase Data List
 - [Table 5](#) Microearthquakes and Other Non-locatable Events
 - Figures
 - [NESN Station Map](#)
 - [NESN Strong-Motion Station Map](#)
 - [NESN Quarterly Seismicity Map](#)
 - [NESN Cumulative Seismicity Map](#)
 - [Acknowledgments](#)
 - [References](#)
-

Introduction

The New England Seismic Network (NESN) is operated collaboratively by the Weston Observatory (WES) of Boston College and the Earth Resources Lab (ERL) of the Massachusetts Institute of Technology. The mission of the NESN is to operate and maintain a regional seismic network with digital recording of seismic ground motions for the following purposes: 1) to determine the location and magnitude of earthquakes in and adjacent to New England and report felt events to public safety agencies, 2) to define the crust and upper mantle structure of the northeastern United States, 3) to derive the source parameters of New England earthquakes, and 4) to estimate the seismic hazard in the area.

This report summarizes the work of the NESN for the period October-December, 2003. It includes a brief summary of the network's equipment and operation, and a short discussion of data management procedures. A list of participating personnel is given in Table 1. There were 6 earthquakes that occurred within or near the network during this reporting period. Phase information for these earthquakes is included in this report.

[Return to Table of Contents](#)

Current Network Operation and Status

The New England Seismic Network currently consists of 14 broadband three-component, 4 short-period vertical, and 8 strong-motion stations. The coordinates of the stations are given in Table 2, and maps of the weak- and strong-motion networks are shown in Figures 1 and 2, respectively.

WES now operates 13 stations with broadband instruments consisting of Guralp CMG-40T three-component sensors. Ground motions recorded by these sensors are digitized at 100 sps with 16-bit resolution. Additional gain-ranging provides 126 dB dynamic range. These stations are operated in dialup mode with waveform segments of suspected events transmitted in digital mode to Weston Observatory for analysis and archiving. During the year 2001, two new seismic stations were added to the WES network. Station UMM was placed in northeastern Maine and station FFD was placed in central New Hampshire. Station MIM, in central Maine was dismantled. WES also maintains 8 SMA-1 strong-motion instruments in New England.

ERL at MIT currently operates 4 short-period stations, all located within 100 km of Boston. The short-period instruments have 1.0 Hz L4C vertical seismometers. Data recorded by these seismometers is transmitted continuously in analog mode to ERL and digitized (12-bit) into a PC at 50 sps. A data acquisition program on the PC triggers on events detected in the short-period data streams and saves them to a disk for manual analysis. Station WFM also has a new three-component, high dynamic range instrument. The instrument has a CMG-40T sensor and transmits 3-channel, 24-bit data at 100 sps continuously to a central processor (Pentium PC) at ERL. Waveform windows of suspected events are extracted from the data stream, analyzed and archived with the short-period data. WES and ERL record some stations in analog format on helicorders to provide additional data for analysis.

[Return to Table of Contents](#)

Seismicity

There were 6 earthquakes that occurred in or adjacent to the NESN during this reporting period. A summary of the location data is given in Table 3. Figure 3 shows the locations of these events. Figure 4 shows the locations of all events since the beginning of network operation in October, 1975.

Table 4 gives the station phase data and detailed hypocenter data for each event listed in Table 3. In addition to NESN data, arrival time and magnitude data sometimes are contributed for seismic stations operated by the [Geological Survey of Canada \(GSC\)](#), the [Lamont-Doherty Cooperative Seismographic Network](#), and the [US National Seismic Network](#). Final locations for this section were computed using the program HYPO78. For regional events (those too far from the NESN to obtain accurate locations and magnitudes) phase data are given for NESN stations, but the entry in Table 3 lists the hypocenter and geographic location information adopted from the authoritative network. Accordingly, the epicenter is plotted on the maps using the entry from Table 3.

[Return to Table of Contents](#)

Data Management

Recent event locations are available at www.bc.edu/westonobservatory. Waveform data are saved in Nanometrics, ASCII, and SEED formats and are available by contacting, Anastasia Macherides Moulis, via email at macherid@bc.edu. Earthquake lists can be found at www.bc.edu/westonobservatory. Currently available on the Weston Observatory web page is the full catalog of northeastern U.S. earthquake activity to 2003. This will be updated as new Northeastern U.S. Seismic Network Quarterly Earthquake Reports are produced.

MIT/ERL provides two internet utilities, the MIT/ERL web-site ("www-erl.mit.edu/NESN/homepage.html") and an anonymous FTP directory, to distribute seismic data. SESAME (Seismic Event Server at MIT/ERL) is the web data server that distributes catalogs, reports, earthquake bulletins, and epicenter and station maps (including an archive of recent seismic events). The FTP site, named "sunda.mit.edu", is the current facility available to download waveform data recorded by the MIT NESN. The client machine IP number must be forwarded to us for the client to gain access to the anonymous FTP directory. After logging on, the user changes directories to "pub/seismic". Waveforms of individual events for the period April 1995 through the present are accessed as Unix-compressed SAC files, through the anonymous FTP directory. A "readme" file offers further explanation about the data. Older waveform data in SAC format (1981 - March 1995) will be made available on the FTP site upon request.

For more information on matters discussed in this report or general earthquake information (reports, maps, catalogs, etc.) consult our web-sites www-erl.mit.edu/NESN and www.bc.edu/westonobservatory or contact:

*Robert Cicerone
MIT Earth Resources Lab
42 Carleton Street
Cambridge, MA 02142*

Voice: 617-253-7863 / FAX: 617-253-6385 / Email: cicerone@erl.mit.edu

*Prof. John Ebel
Weston Observatory
381 Concord Road
Weston, MA 02493*

Voice: 617-552-8319 / FAX: 617-552-8388 / Email: ebel@bc.edu

[Return to Table of Contents](#)[Return to Table of Contents](#)

Explanation of Tables

Table 1: List of personnel operating the NESN

Table 2: List of Seismic and Strong Motion Stations

1. Code = station name
2. Lat = station latitude, degrees north
3. Long = station longitude, degrees west
4. Elev = station elevation in meters
5. Location = geographic location
6. Operator = network operator

Table 3: Earthquake Hypocenter List

1. Date = date event occurred, Yr (year)/Mo (month)/Dy (day)
2. Time = origin time of event, Hr (hour):Mn (minute):Sec (second)
in UCT (Universal Coordinated Time, same as Greenwich Mean Time)
3. Lat = event location, latitude north in degrees
4. Long = event location, longitude west in degrees
5. Depth = event depth in kilometers
6. Mag = event magnitude
7. Int = event epicentral intensity
8. Location = event geographic location

Table 4: Earthquake detailed hypocenter and phase data list

Table Header: detailed hypocenter data

1. Geographic location
2. DATE = date event occurred, yr/mo/dy (year/month/day)
3. ORIGIN = event origin time (UCT) in hours, minutes, and seconds
4. LAT N = latitude north in degrees and minutes
5. LONG W = longitude west in degrees and minutes
6. DEPTH = event depth in kilometers
7. MN = Nuttli Lg phase magnitude with amplitude divided by period
8. MC = signal duration (coda) magnitude

WES: $2.23 \text{ Log(FMP)} + 0.12 \text{Log(Dist)} - 2.36$ (Rosario, 1979)
MIT: $2.21 \text{ Log(FMP)} - 1.7$ (Chaplin *et al.*, 1980)

9. ML = local magnitude

WES: calculated from Wood-Anderson seismograms (Ebel, 1982)
GSC (Geological Survey of Canada): Richter Lg magnitude

10. GAP = largest azimuthal separation, in degrees, between stations
11. RMS = root mean square error of travel time residual in seconds
12. ERH = standard error of epicenter in kilometers
13. ERZ = standard error of event depth in kilometers
14. Q = solution quality of hypocenter

A = excellent
B = good
C = fair
D = poor

Table Body: earthquake phase data

1. STN = station name
2. DIST = epicentral distance in kilometers
3. AZM = azimuthal angle in degrees measured clockwise between true north and vector pointing from epicenter to station
4. Description of onset of phase arrival

I = impulsive
E = emergent

5. R = phase

P = first P arrival
S = first S arrival

6. M = first motion direction of phase arrival

U = up or compression
D = down or dilatation

7. K = weight of arrival

0 = full weight (1.0)

1 = 0.75 weight
 2 = 0.50 weight
 3 = 0.25 weight
 4 = no weight (0.0)

8. HRMN = hour and minute of phase arrival I
9. SEC = second of phase arrival
10. TCAL = calculated travel time of phase in seconds
11. RES = travel time residual (error) of phase arrival
12. WT = weight of phase used in hypocentral solution
13. AMX = peak-to-peak ground motion, in millimicrons, of the maximum envelope amplitude of vertical-component signal, corrected for system response
14. PRX = period in seconds of the signal from which amplitude was measured
15. XMAG = Nuttli magnitude recorded at station
16. FMP = signal duration (coda), in seconds, measured from first P arrival
17. FMAG = coda magnitude recorded at station

Table 5: Microearthquakes and other non-locatable events

1. Date = date event occurred, Yr (year)/Mo (month)/Dy (day)
2. Sta = nearest station recording event
3. Arrival Time = phase arrival time, Hr (hour):Mn (minute):Sec (second)

[Return to Table of Contents](#)

TABLE 1

WESTON OBSERVATORY PERSONNEL

Name	Network Position	voice phone	email address
John E. Ebel	Principal Investigator	617-552-8319	ebel@bc.edu
Alan Kafka	Research Seismologist	617-552-8300	kafka@bc.edu
Anastasia Macherides Moulis	Seismic Analyst	617-552-8325	macherid@bc.edu
Edward Johnson	Project Engineer	617-552-8332	johnson@bc.edu
Dina Smith	Assistant to the Director	617-552-8335 617-552-8300	dina.smith.1@bc.edu
Weston Observatory		617-552-8388 (FAX)	

MIT/ERL PERSONNEL

Principal Investigator 617-253-7863 cicerone@erl.mit.edu

Name	Network Position	voice phone	email address
M. Nafi Toksöz	617-253-7852	toksoz@mit.edu	
Robert Cicerone	Research Seismologist		
Heather Hooper	Seismic Analyst	617-253-6290	
Sara Brydges	sara@erl.mit.edu		
Earth Resources Lab		617-253-8027 617-253-6385 (FAX)	

[Return to Table of Contents](#)

TABLE 2

SEISMIC STATIONS OF THE NEW ENGLAND SEISMIC NETWORK

WESHNH43.7050-72.3525 Belchertown, MA Troy, NY WESUMMWES42.3850-71.4906 Westford, MA MIT WESYLEPQI46.6710

Code	Lat	Long	Elev (m)	Location	Operator
BCX	42.3350	-71.1705	61.0	Chestnut Hill, MA	WES
BRY	41.9178	-71.5388	380.0	Smithfield, RI	WES
DNH	43.1225	-70.8948	24.0	Durham, NH	MIT
DXB	42.0610	-70.6992	8.0	Duxbury, MA	MIT
FFD	43.4702	-71.6533	131.0	Franklin Falls Dam, NH	
GLO	42.6403	-70.7272	15.2	Gloucester, MA	MIT
	-72.2860	180.0	Hanover, NH	WES	

QUA2	42.2789	168.0	WES
TRY	42.7311	-73.6669	131.0
44.7100	-67.4583	35.0	Machias, ME
VT1	44.3317	-72.7536	410.0
-71.3220	60.0	Weston, MA	Waterbury, VT
WFM	42.6106	87.5	WES
WVL	44.5648	-69.6575	85.0
41.3100	-72.9269	10.0	New Haven, CT
-68.0168	175.0	Presque Isle, ME	Waterville, ME
			WES

STRONG MOTION STATIONS OF THE NEW ENGLAND SEISMIC NETWORK

SM2-73.10Newport, RISM4-71.30WESSM742.39-71.54WES

Code	Lat	Long	Location	Operator
SM1	44.90	-67.25	Dennysville, ME	WES
44.49	Essex Junction, VT	WES		
SM3	41.45	-71.33	WES	
42.38	-71.32	Weston, MA	WES	
SM5	42.66	Lowell, MA		
SM6	42.30	-71.34	Natick, MA	WES
Hudson, MA	WES			
SM8	44.48	-69.61	North Vassalboro, ME	

[Return to Table of Contents](#)

TABLE 3

NEW ENGLAND AND ADJACENT REGIONS

October-December, 2003

Date	Time	Depth			Mag Int	Location
M/D/Y	Hr:Mn:Sec	Lat	Long	(km)		
10/1/2003	08:07:56.49	40.5925	-75.1000	00.97	2.4	NJ, 2.4 KM (1.5 MI) N OF MILFORD
10/7/2003	01:32:03.19	41.7315	-71.5707	06.23	1.8	RI, 6 KM (3.73 MI) NW OF WEST WARWICK
10/11/2003	00:10:02.59	47.5515	-69.8977	27.57	2.9	CANADA, 8.25 KM (5.13 MI) WNW OF ST-PASCAL
10/12/2003	08:26:07.84	47.0102	-76.2757	23.81	4.0	CANADA, 14KM NE OF LAC-DESMARAIS
10/15/2003	04:13:15.09	45.0428	-66.9757	20.43	3.1	CANADA, 10 KM SE OF ST. ANDREWS
10/18/2003	16:25:07.46	46.9397	-67.2087	21.70	3.3	CANADA, 41 KM (25.5 MI) ESE OF GRAND FALLS

* indicates Mc rather than Mn.

[Return to Table of Contents](#)

TABLE 4

EARTHQUAKE PHASE DATA LIST
NEW ENGLAND AND ADJACENT REGIONS
October-December, 2003

SOUTHEAST MAINE CRUSTAL MODEL														
10/01/03 NJ, 2.4 KM (1.5 MI) N OF MILFORD														
DATE	ORIGIN	LAT	N	LONG	W	DEPTH	MN	MC	ML	GAP	RMS	ERH	ERZ	Q
31001	8 7 56.49	40	-35.55	75-	6.00	.97	.0	.0	151	.26	1.2	1.8	B	
STN	DIST	AZM	RMK	BRMN	SEC	TOBS	TCAL	RES	WT	AMX	PRX	XMAG	FMP	FMAG
LUPA	23.0	272	EP 0	8 8	.25	3.76	3.89	-.17	1.83					
	S 0	8 8		3.21		6.72	6.92	-.27	1.83					
GPD	71.7	49	EP 0	8 8	8.52	12.03	11.81	.16	1.68					
	S 2	8 8		17.41		20.92	21.03	-.21	.83					
TBR	95.9	50	EP 0	8 8	12.35	15.86	15.65	.17	1.59					
	S 2	8 8		24.13		27.64	27.86	-.29	.78					
CPNY	98.8	77	EP 0	8 8	12.62	16.13	16.12	.01	1.58					
	S 0	8 8		25.17		28.68	28.69	-.02	1.58					
PAL	110.4	66	EP 0	8 8	14.67	18.18	17.96	.20	1.54					
	S 4	8 8		24.07		27.58	31.96	-4.42	.00					
ARNY	114.6	46	EP 1	8 8	14.93	18.44	18.62	-.25	1.13					
	S 0	8 8		29.78		33.29	33.14	.02	1.53					
MVL	125.1	238	EP 0	8 8	17.27	20.78	20.29	.47	1.44					
MANY	125.1	56	EP 2	8 8	16.57	20.08	20.29	-.23	.74					
	S 3	8 8		32.13		35.64	36.12	-.52	.34					
BINY	192.5	337	EP 3	8 8	28.15	31.66	29.98	1.60	.01					
	S 0	8 8		50.25		53.76	53.36	.25	1.25					
SDMD	198.3	229	EP 3	8 8	28.50	32.01	30.69	1.32	.05					

SSPA	236.0	271	S	3	8	8	50.34	53.85	54.63	-.78	.22
			P	4	8	8	59.21	62.72	35.35	27.34	.00
			ES	4	8	8	32.87	36.38	62.92	-26.60	.00
QUA2	296.4	51	EP	4	8	8	43.16	46.67	42.80	3.84	.00
ACCN	332.0	21	EP	3	8	8	45.09	48.60	47.19	1.34	.03
BRY	332.6	64	EP	3	8	8	45.39	48.90	47.27	1.57	.00
HRV	364.2	54	EP	3	8	8	48.99	52.50	51.17	1.30	.03
NCB	382.1	11	EP	4	8	8	52.35	55.86	53.39	2.37	.00
HNH	416.8	34	EP	4	8	8	57.70	61.21	57.67	3.51	.00
			S	4	8	8	60.49	64.00	102.65	-38.71	.00
FFD	428.6	42	ES	4	8	9	57.06	120.57	105.24	15.29	.00
LOZ	449.4	5	EP	4	8	9	6.22	69.73	61.69	7.97	.00

SOUTHEAST MAINE CRUSTAL MODEL

10/07/03 RI, 6 KM (3.73 MI) NW OF WEST WARRICK

DATE	ORIGIN	LAT	N	LONG	W	DEPTH	MN	MC	ML	GAP	RMS	ERH	ERZ	Q
31007	132	3.19	41-43.89	71-34.24		6.23	1.8	.0		297	.48	5.0	3.7	D
STN	DIST	AZM	RMK	HRMN	SEC	TOBS	TCAL	RES	WT	AMX	PRX	XMAG	FMP	FMAG
BRY	20.9	7	EPC1	132	6.66	3.47	3.59	-.19	1.61					
			ES	3	132	9.27	6.08	6.40		-.42	.53			
BCX	74.8	26	EPD4	132	18.26	15.07	12.13	2.91	.00	50	.20	1.8		
			ES	4	132	27.36	24.17	21.59		2.52	.00			
WES	75.4	16	EPD1	132	15.27	12.08	12.23		-.16	1.44				
			ES	3	132	27.34	24.15	21.77		2.36	.09			
HRV	86.1	1	EPD0	132	17.15	13.96	13.93		.00	1.88				
			ES	3	132	30.15	26.96	24.79		2.11	.17			
QUA2	88.8	313	EP	1	132	17.76	14.57	14.37		.17	1.40			
			ES	0	132	28.74	25.55	25.57		-.08	1.87			
FFD	193.3	358	EPD3	132	34.17	30.98	29.50		1.46	.30				
			ES	2	132	55.25	52.06	52.51		-.49	.71			

NORTHWEST MAINE CRUSTAL STRUCTURE

10/11/03 CANADA, 8.25 KM (5.13 MI) WNW OF ST-PASCAL

DATE	ORIGIN	LAT	N	LONG	W	DEPTH	MN	MC	ML	GAP	RMS	ERH	ERZ	Q
31011	010	2.59	47-33.09	69-53.86		27.57	2.9	.0		117	.41	2.6	8.6	C
STN	DIST	AZM	RMK	HRMN	SEC	TOBS	TCAL	RES	WT	AMX	PRX	XMAG	FMP	FMAG
PQI	173.1	124	EP	1	010	28.98	26.39	25.68		.67	1.40	319	.35	3.0
			ES	0	010	48.10	45.51	45.71		-.26	2.02			
CNQ	236.9	35	EP	0	010	36.21	33.62	33.55		.03	1.70			
GSQ	256.7	54	EP	1	010	39.07	36.48	36.00		.47	1.16			
ICQ	292.7	42	EP	0	010	42.95	40.36	40.44		-.10	1.40			
MQQ	307.9	216	EP	2	010	46.00	43.41	42.32		.95	.44			
MNQ	341.4	14	EP	0	010	49.00	46.41	46.45		-.13	1.13			
GGN	359.7	139	EP	2	010	50.43	47.84	48.72		-.89	.37			
			ES	4	010	86.20	83.61	86.71		-3.12	.00			
UMM	367.9	149	EP	1	010	51.79	49.20	49.73		-.54	.70	51	.23	2.9
SMQ	378.3	38	EP	0	010	53.26	50.67	51.01		-.41	.90			
TRQ	384.5	247	EP	0	010	54.31	51.72	51.77		-.06	.90			
LBNH	400.3	203	ES	4	011	54.69	112.10	95.64		16.35	.00			
GRQ	464.7	257	EP	0	010	64.43	61.84	61.67		.11	.46			
FFD	474.0	197	EP	4	011	18.98	76.39	62.82		13.55	.00			
			ES	4	011	78.19	135.60	111.82		23.74	.00			
GAC	474.4	244	EP	0	010	65.30	62.71	62.88		-.18	.41			
WBO	502.1	236	ES	4	011	58.11	115.52	118.00		-2.50	.00			
NCB	521.1	220	ES	4	011	83.95	141.36	122.18		19.00	.00			
CRLO	595.5	254	EP	3	011	18.75	76.16	77.83		-1.70	.00			
EEO	703.9	262	EP	3	011	32.85	90.26	91.21		-1.02	.00			

NORTHWEST MAINE CRUSTAL STRUCTURE

10/12/03 CANADA, 14 KM NE OF LAC-DESMARAIS

DATE	ORIGIN	LAT	N	LONG	W	DEPTH	MN	MC	ML	GAP	RMS	ERH	ERZ	Q
31012	826	7.84	47-	.61	76-16.54	23.81	4.0	.0		110	.47	2.0	4.1	C
STN	DIST	AZM	RMK	HRMN	SEC	TOBS	TCAL	RES	WT	AMX	PRX	XMAG	FMP	FMAG
VLDQ	151.2	324	EP	3	826	32.90	25.06	23.29		1.74	.16			
TRQ	158.3	124	EP	1	826	32.42	24.58	24.16		.41	2.43			
			ES	3	826	52.12	44.28	43.01		1.27	.55			
EEO	217.5	259	EP	0	826	39.24	31.40	31.47		-.15	2.78			
WBO	236.5	161	EP	1	826	42.19	34.34	33.82		.52	1.93			
			ES	0	826	67.65	59.81	60.19		-.40	2.59			
MNT	264.3	129	EP	0	826	45.18	37.34	37.25		.06	2.39			
			ES	1	826	74.45	66.60	66.31		.26	1.79			
DPQ	269.6	98	EP	1	826	45.40	37.56	37.90		-.35	1.74			
			ES	1	826	75.83	67.98	67.47		.51	1.72			
KGNO	309.8	183	EP	2	826	51.35	43.51	42.87		.62	.97			
			ES	3	826	82.65	74.81	76.31		-.52	.22			
SADO	333.9	222	EP	0	826	53.45	45.60	45.85		-.28	1.81			
			ES	4	826	87.10	79.26	81.61		-2.43	.00			
MOQ	363.3	121	EP	0	826	57.38	49.54	49.47		-.08	1.56			
			ES	1	826	95.71	87.86	88.06		-.44	1.16			
NCB	373.9	155	EP	1	826	59.00	51.16	50.78		.27	1.10			
WLVO	381.0	206	DP	0	826	59.36	51.52	51.66		-.16	1.41			
QCQ	381.5	94	EP	3	826	58.75	50.91	51.73		-.84	.32			
			ES	1	826	99.69	91.84	92.07		-.26	1.06			
DAQ	393.8	74	EP	3	826	59.93	52.09	53.24		-1.31	.20			
PKRO	403.0	213	EP	0	826	62.00	54.16	54.37		-.25	1.23			
VT1	404.8	137	ES	4	827	59.10	111.26	97.19		14.03	.00			
A54	447.0	84	EP	3	827	6.18	58.34	59.81		-.15	.08			
			ES	2	827	53.70	105.85	106.46		.71	.41			
LMO	453.9	82	EP	3	827	7.35	59.51	60.66		-1.22	.15			
LBNH	458.2	132	EP	1	827	9.44	61.59	61.20		.34	.57			
			ES	4	827	73.33	125.48	108.93		16.45	.00			
A61	473.0	81	EP	3	827	9.55	61.71	63.02		-1.32	.10			
			ES	3	827	59.15	111.31	112.17		-.89	.15			
HNH	482.2	140	EP	2	827	12.90	65.06	64.15		.87	.26			
			ES	4	827	80.12	132.28	114.19		18.03	.00			
A64	490.5	79	EP	3	827	11.42	63.58	65.17		-1.62	.04			
FFD	535.4	137	EP	1	827	18.28	70.44	70.72		-.31	.09			
			ES	4	827	94.01	146.17	125.89		20.24	.00			
BINY	535.8	178	EP	3	827	19.64	71.80	70.78		.94	.03			
			ES	4	827	87.19	139.34	125.98		13.22	.00			
QUA2	611.1	149	EP	1	827	28.17	80.33	80.07		.22	.00			
HRV	624.4	143	EP	4	827	37.77	89.93	81.71		8.19	.00			
PQI	631.6	93	EP	1	827	31.08	83.23	82.60		.60	.00	461	.44	4.1
WES	646.8	143	EP	1	827	31.90	84.06	84.48		-.43	.00			
BCX	658.5	142	EP	4	827	51.17	103.33	85.92		17.37	.00	145	.29	3.9
CNQ	660.8	67	EP	3	827	32.61	84.77	86.20		-1.47	.00			
			ES	4	827	97.76	149.92	153.44		-3.58	.00			
MNQ	676.3	55	EP	3	827	34.82	86.97	88.11		-1.23	.00			
BRY	679.8	146	EP	4	827	58.31	110.47	88.54		21.86	.00			
YLE	687.6	157	EP	4	826	53.76	45.92	89.51		-43.60	.00	810	.50	4.4

GSQ 716.0 73 EP 3 827 39.17 91.33 93.02 -1.70 .00
 UMM 730.5 110 EP 3 827 41.57 93.72 94.81 -1.09 .00 139 .35 3.9
 GGN 760.7 106 EP 3 827 44.80 96.96 98.54 -1.59 .00
 SMQ 791.4 63 EP 4 827 47.73 99.89 102.32 -2.50 .00
 LMN 891.4 98 EP 4 827 59.53 111.69 114.68 -3.05 .00

SOUTHEAST MAINE CRUSTAL MODEL

10/15/03 CANADA, 10 KM SE OF ST. ANDREWS

DATE	ORIGIN	LAT N	LONG W	DEPTH	MN	MC	ML	GAP	RMS	ERH	ERZ	Q		
31015	413 15.09	45- 2.57	66-58.54	20.43	3.1	3.0		126	.47	1.9	2.2	C		
STN	DIST	AZM	RMK	HRMN	SEC	TOBS	TCAL	RES	WT	AMX	PRX	XMAG	FMP	FMAG
UMM	53.1	226	IPDO	413	24.28	9.19	9.14	.04	4.42			198	3.0	
	S 0			413	31.12	16.03	16.27		-2.6	4.42				
LMN	192.2	62	EP 3	413	44.15	29.06	27.95	1.05	.64					
PQI	198.2	336	EPDO	413	43.56	28.47	28.69	-.25	3.13	206	.14	3.1		
	ES 4			413	68.83	53.74	51.07	2.62	.00					
HAL	270.9	100	EP 0	413	52.80	37.71	37.67	.02	2.48					
	ES 3			413	81.10	66.01	67.06	-1.07	.50					
A11	349.1	314	EP 3	413	63.30	48.21	47.32	.88	.40					
	ES 0			413	99.40	84.31	84.23	.06	1.79					
A16	356.8	319	EP 1	414	3.82	48.73	48.27	.45	1.26					
	ES 1			414	40.62	85.53	85.93	-.40	1.28					
A21	362.0	325	EP 1	414	4.31	49.22	48.91	.29	1.24					
	ES 1			414	41.61	86.52	87.07	-.57	1.21					
A54	377.4	315	EP 0	414	5.95	50.86	50.81	-.01	1.54					
	ES 3			414	44.31	89.22	90.44	-1.33	.21					
LMQ	379.8	317	EP 1	414	6.53	51.44	51.11	.26	1.14					
	ES 3			414	45.15	90.06	90.97	-1.04	.31					
A61	379.8	321	EP 1	414	6.54	51.45	51.11	.33	1.12					
	ES 3			414	44.49	89.40	90.97	-1.59	.09					
A64	382.1	324	EP 3	414	7.95	52.86	51.40	1.44	.13					
	ES 2			414	45.95	90.86	91.50	-.67	.72					
QCQ	385.8	300	ES 3	414	48.67	93.58	92.31	1.24	.23					
LBNH	403.1	257	EP 3	414	10.23	55.14	53.98	1.09	.25					
	ES 4			414	67.81	112.72	96.09	16.52	.00					
FFD	412.2	245	EP 4	414	12.74	57.65	55.11	2.52	.00					
	ES 4			414	70.97	115.88	98.10	17.75	.00					
MOQ	415.8	274	EP 2	414	11.74	56.65	55.56	.95	.50					
	ES 1			414	54.08	98.99	98.90	-.16	.89					
GSQ	430.5	359	EP 2	414	13.06	57.97	57.37	.59	.51					
	ES 4			414	54.76	99.67	102.12	-2.47	.00					
HNN	448.4	251	EP 4	414	17.59	62.50	59.58	2.89	.00					
	ES 4			414	80.25	125.16	106.05	19.06	.00					
BCX	452.6	228	ES 4	414	80.70	125.61	106.99	18.57	.00	60	.27	3.1		
WES	458.3	230	EP 1	414	16.84	61.75	60.80	.94	.53					
	ES 4			414	84.39	129.30	108.22	21.06	.00					
DAQ	461.3	315	EP 1	414	16.96	61.87	61.17	.54	.57					
	ES 3			414	62.75	107.66	108.89	-1.51	.07					
HRV	464.2	233	EP 4	414	22.17	67.08	61.53	5.52	.00					
	ES 4			414	86.63	131.54	109.52	21.96	.00					
VT1	464.8	260	ES 4	414	89.04	133.95	109.65	24.26	.00					
CNQ	480.8	350	EP 1	414	18.29	63.20	63.58	-.41	.46					
	ES 3			414	66.38	111.29	113.17	-1.93	.01					
DPQ	485.7	292	EP 1	414	19.64	64.55	64.18	.37	.42					
	ES 4			414	67.91	112.82	114.24	-1.42	.00					
ICQ	498.4	357	EP 1	414	20.43	65.34	65.76	-.43	.34					
	ES 4			414	69.45	114.36	117.05	-2.70	.00					
BRY	506.7	227	ES 4	414	45.84	90.75	118.87	-28.22	.00					
MNT	523.9	276	EP 1	414	24.38	69.29	68.90	.37	.17					
QUA2	531.2	235	EP 4	414	31.36	76.27	69.81	6.43	.00					
SMQ	576.3	2	EP 1	414	30.07	74.98	75.37	-.45	.00					
	ES 3			414	86.52	131.43	134.16	-2.84	.00					
NCB	588.7	258	EP 1	414	32.83	77.74	76.90	.74	.00					
TRQ	605.8	282	EP 2	414	34.86	79.77	79.01	.76	.00					
	ES 4			414	93.81	138.72	140.64	-1.92	.00					
MNQ	624.8	348	EP 1	414	36.03	80.94	81.35	-.50	.00					
	ES 4			414	96.74	141.65	144.81	-3.32	.00					
YLE	637.1	229	ES 4	414	43.45	88.36	147.53	-59.17	.00					
WBO	654.4	270	ES 4	415	44.07	148.98	151.33	-2.37	.00					
GAC	669.8	276	EP 1	414	42.51	87.42	86.91	.50	.00					
GRQ	712.3	284	EP 2	414	48.04	92.95	92.16	.74	.00					
CRLO	820.7	278	EP 1	415	.44	105.35	105.55	-.23	.00					
	ES 4			415	78.55	183.46	187.88	-4.47	.00					

NORTHWEST MAINE CRUSTAL STRUCTURE

10/18/03 CANADA, 41 KM (25.5 MI) ESE OF GRAND FALLS

DATE	ORIGIN	LAT N	LONG W	DEPTH	MN	MC	ML	GAP	RMS	ERH	ERZ	Q		
31018	1625	7.46	46-56.38	67-12.52	21.70	3.3	.0		117	.46	1.1	1.8	C	
STN	DIST	AZM	RMK	HRMN	SEC	TOBS	TCAL	RES	WT	AMX	PRX	XMAG	FMP	FMAG
PQI	68.6	244	EP 1	1625	18.25	10.79	11.50	-.74	2.19	533	.12	2.8		
	ES 1			1625	27.61	20.15	20.47	-.37	2.26					
GGN	204.8	172	EP 1	1625	37.68	30.22	30.08	.13	1.64					
A21	206.0	294	EP 3	1625	38.69	31.23	30.23	.99	.46					
	ES 0			1625	61.33	53.87	53.81	.04	2.18					
GSQ	219.7	2	EP 2	1625	39.48	32.02	31.92	.09	1.57					
	ES 0			1625	63.99	56.53	56.82	-.30	2.09					
A16	220.2	285	EP 3	1625	40.40	32.94	31.99	.95	.46					
	ES 1			1625	64.29	56.83	56.94	-.11	1.57					
LMN	220.8	123	EP 1	1625	39.30	31.84	32.06	-.28	1.56					
	ES 3			1625	64.20	56.74	57.07	-.44	.52					
A64	225.2	296	EP 2	1625	40.69	33.23	32.61	.60	1.00					
	ES 0			1625	65.47	58.01	58.04	-.06	2.06					
A11	229.4	278	EP 3	1625	41.67	34.21	33.12	1.08	.39					
	ES 0			1625	66.71	59.25	58.96	.27	2.01					
A61	233.6	291	EP 2	1625	41.92	34.46	33.64	.82	.92					
	ES 1			1625	67.24	59.78	59.87	-.11	1.50					
LMQ	245.8	286	EP 2	1625	43.25	35.79	35.14	.58	.93					
	ES 1			1625	70.00	62.54	62.55	-.14	1.45					
UMM	248.6	184	EP 1	1625	41.00	33.54	35.49	-1.96	.12	525	.17	3.6		
	ES 4			1625	77.23	69.77	63.17	6.58	.00					
A54	249.5	283	EP 1	1625	43.68	36.22	35.61	.56	1.38					
	ES 1			1625	70.76	63.30	63.38	-.18	1.43					
CNQ	270.5	346	EP 1	1625	45.63	38.17	38.19	-.05	1.33					
	ES 1			1625	74.87	67.41	67.98	-.63	1.29					
ICQ	287.1	359	EP 2	1625	48.03	40.57	40.25	.31	.82					
	ES 0			1625	78.85	71.39	71.64	-.27	1.67					
QCQ	310.8	267	EP 1	1625	51.11	43.65	43.16	.47	1.11					
	ES 2			1625	84.05	76.59	76.83	-.28	.76					
DAQ	324.6	291	EP 2	1625	53.04	45.58	44.87	.55	.69					

	ES	2	1625	87.00	79.54	79.87	-.61	.69		
SMQ	367.0	6	EP	2	1625	58.06	50.60	50.11	.43	.57
			ES	3	1625	95.43	87.97	89.19	-1.33	.20
HAL	380.0	132	EP	2	1626	.20	52.74	51.72	1.01	.44
			ES	2	1626	39.56	92.10	92.06	.02	.54
MNQ	415.5	344	EP	2	1626	4.00	56.54	56.10	.36	.42
			ES	3	1626	46.07	98.61	99.85	-1.40	.13
DPQ	426.1	266	EP	0	1626	5.14	57.68	57.41	.27	.78
			ES	3	1626	48.37	100.91	102.18	-1.27	.14
MOQ	430.1	245	EP	0	1626	5.80	58.34	57.89	.31	.75
			ES	3	1626	49.59	102.13	103.05	-1.17	.15
LBNH	474.9	231	EP	0	1626	11.38	63.92	63.43	.43	.47
			ES	4	1626	58.30	110.84	112.90	-2.17	.00
FFD	520.2	222	EP	0	1626	16.83	69.37	69.03	.32	.19
			ES	4	1626	90.76	143.30	122.87	20.40	.00
MNT	520.2	252	EP	0	1626	16.50	69.04	69.03	-.01	.19
			ES	4	1626	68.03	120.57	122.87	-2.33	.00
VT1	520.8	236	ES	4	1627	41.05	153.59	122.99	30.57	.00
HNH	536.4	228	ES	4	1627	40.96	153.50	126.43	27.02	.00
TRQ	568.6	262	EP	0	1626	22.48	75.02	75.00	.02	.00
			ES	4	1626	78.59	131.13	133.50	-2.36	.00
BCX	600.7	212	ES	4	1627	56.08	168.62	140.55	28.02	.00
HRV	601.3	215	ES	4	1627	56.03	168.57	140.69	27.83	.00
WES	602.1	213	EP	0	1626	26.67	79.21	79.14	.06	.00
NCB	639.9	239	EP	4	1626	33.61	86.15	83.80	2.25	.00
GAC	651.8	258	EP	0	1626	32.72	85.26	85.27	-.02	.00
			ES	4	1626	96.23	148.77	151.78	-3.03	.00
BRY	656.0	212	ES	4	1627	77.08	189.62	152.71	36.81	.00
QUA2	659.6	218	EP	4	1626	56.82	109.36	86.24	23.10	.00
WBO	661.0	251	EP	0	1626	33.95	86.49	86.41	.07	.00
			ES	4	1626	98.15	150.69	153.81	-3.13	.00
GRQ	661.5	267	EP	3	1626	33.44	85.98	86.47	-.54	.00
			ES	4	1626	98.38	150.92	153.92	-3.08	.00
YLE	775.2	216	ES	4	1627	41.80	154.34	178.90	-24.56	.00
VLDQ	782.9	280	EP	3	1626	49.85	102.39	101.45	.92	.00
CRLO	787.2	263	EP	4	1626	47.65	100.19	101.99	1.83	.00
EEO	906.4	268	EP	4	1626	62.44	114.98	116.70	-1.79	.00
SADO	957.0	255	EP	1	1626	70.03	122.57	122.95	-.42	.00

[Return to Table of Contents](#)

TABLE 5
MICROEARTHQUAKES AND OTHER NON-LOCATABLE EVENTS

Date	Sta	Arrival Time
Yr/Mo/Dy		Hr:Mn:Sec
None recorded this period.		

[Return to Table of Contents](#)[NESN Station Map](#)




Figure 1: Map of stations of the New England Seismic Network (NESN) in operation during period October-December, 2003. Also included are the US National Seismic Network stations operating in New England during this period.

[Return to Table of Contents](#)

NESN Strong-Motion Station Map




Figure 2: Map of strong-motion stations of the New England Seismic Network (NESN) in operation during period October-December, 2003.

[Return to Table of Contents](#)




Figure 3: Earthquake epicenters located by the NESN during period October-December, 2003.

[Return to Table of Contents](#)

NESN Cumulative Seismicity Map




Figure 4: Seismicity for period October, 1975 - December, 2003.[Return to Table of Contents](#)

Acknowledgments

We would like to thank the Undergraduate Research Opportunities Program (UROP) of MIT for its support to the network. Our map database has been developed in-house using ArcView and in part basemap data provided by ESRI, Inc. (Arcdata Online), USGS GTOPO30 Elevation Data, and TIGER/Line '94, '95, and '97 (US Census Bureau) spatial data.

References

Chaplin, M.P., Taylor, S.R., and Toksöz, M.N. (1980), A coda length-magnitude scale for New England, *Earthquake Notes*, 51, 15-22.

Ebel, J.E. (1982), M_L measurements for northeastern United States earthquakes, *Bull. Seism. Soc. Am.*, 72, 1367-1378.

Rosario, M. (1979), A coda duration magnitude scale for the New England Seismic Network, *Master's Thesis*, Boston College, 82 pp.

[Return to Table of Contents](#)

Updated: July 12, 2011

Maintained by: Weston Observatory

[Accessibility](#) | [Contact](#) | [Feedback](#)

© 2017 The Trustees of Boston College. [Legal](#)